

# Material Safety Data Sheet

CS: 1.4.93

Page: 1 of 5

Infosafe No™ 3NUF6

Issue Date : August 2010

ISSUED by CRPCARE

Product Name **DACONATE Post Emergence Herbicide**

Classified as hazardous

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product Name** DACONATE Post Emergence Herbicide  
**Product Code** 0303  
**Product Type** Group K Herbicide  
**Company Name** Crop Care Australasia Pty Ltd (ABN 53 061 362 347)  
**Address** Unit 15/16 Metroplex Avenue Murarrie  
Queensland 4172 Australia  
**Emergency Tel.** 1800 033 498 (24hr Australia)  
**Telephone/Fax Number** Tel: +61 7 3909 2000  
Fax: +61 7 3909 2010  
**Recommended Use** For the control of annual and perennial grasses and burrs in cotton, annual and perennial grasses in sugarcane, grass weeds in couch turf, prickly pear and grasses and burrs in non-crop areas as specified in the Directions for Use table on the label.  
**Other Information** This MSDS describes, to the best of our knowledge, the properties of the concentrated product. The physical properties and some of the assessments do not apply to the properties of the product once it has been diluted for application. Acute health effects of the diluted product are likely to be much less severe.

## 2. HAZARDS IDENTIFICATION

**Hazard Classification** Classified as hazardous  
HAZARDOUS SUBSTANCE.  
NON-DANGEROUS GOODS.  
Hazard classification according to the criteria of NOHSC.  
Dangerous goods classification according to the Australia Dangerous Goods Code.  
**Risk Phrase(s)** Classified as hazardous  
R23/25 Toxic by inhalation and if swallowed.  
**Safety Phrase(s)** S13 Keep away from food, drink and animal feeding stuffs.  
S2 Keep out of reach of children.  
**Other Information** Poisons Schedule S7 DANGEROUS POISON

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Chemical Characterization** Liquid  
**Ingredients**

<u>Name</u>	<u>CAS</u>	<u>Proportion</u>
MSMA	2163-80-6	800 g/L
Other ingredients (considered non-hazardous)		0-10 %

## 4. FIRST AID MEASURES

**Inhalation** Remove affected person to fresh air until recovered.  
If symptoms develop or persist, seek medical advice.  
**Ingestion** Rinse mouth and then drink plenty of water.  
If swallowed do NOT induce vomiting; seek medical advice immediately and show this container or label or contact the Poisons Information Centre on 13 11 26 (Aust). Make every effort to prevent vomit from entering the lungs by careful placement of the patient.  
The above first aid instructions are mandated by the Commonwealth Department of Health and Ageing via the National Drugs and Poisons Schedule. These instructions are suitable for ingestion of spray solution and small amounts of concentrate; however, if SUBSTANTIAL AMOUNTS of the concentrate have been swallowed (more than about 15ml) AND if medical assistance is more than 30 minutes away, the induction of vomiting should be CONSIDERED, preferably based on MEDICAL ADVICE if a physician can be contacted by phone. All care must be taken to prevent vomit from being inhaled. Do not give anything by mouth to a semi-conscious or unconscious person.

# Material Safety Data Sheet

CS: 1.4.93

Page: 2 of 5

Infosafe No™ 3NUF6	Issue Date : August 2010	ISSUED by CRPCARE
--------------------	--------------------------	-------------------

Product Name **DACONATE Post Emergence Herbicide**

Classified as hazardous

---

<b>Skin</b>	Wash affected areas thoroughly with soap and water. Remove contaminated clothing and laundry before re-use. Seek medical advice, but only after the exposed skin has been thoroughly washed.
<b>Eye</b>	If in eyes, hold eyelids open and wash with copious amounts of water for at least 15 minutes. Seek medical advice.
<b>First Aid Facilities</b>	If poisoning occurs, contact a doctor or the Poisons Information Centre (Australia) on 13 11 26.
<b>Advice to Doctor</b>	If ingested, gastric lavage may be required. Chelation therapy with dimercaprol (BAL) or D-penicillamine has been recommended in the literature for symptomatic arsenic poisoning. Persons allergic to penicillin may suffer reaction to D-penicillamine; they should be treated with BAL only.

---

## 5. FIRE FIGHTING MEASURES

---

<b>Suitable Extinguishing Media</b>	If involved in a fire, the product will not burn. Choose extinguishing media to suit the burning material.
<b>Hazards from Combustion Products</b>	May emit toxic fumes of arsenic oxides if involved in fires or exposed to extreme heat.
<b>Special Protective Equipment for fire fighters</b>	Breathable air apparatus should be worn when fighting a fire in which this product is involved.
<b>Specific Hazards</b>	The product will not burn or burns with difficulty. Use an extinguishing media suitable for the surrounding fires.
<b>Other Information</b>	STOP FIRE WATER FROM ENTERING DRAINS OR WATER BODIES.

---

## 6. ACCIDENTAL RELEASE MEASURES

---

<b>Spills &amp; Disposal</b>	Contain spill and absorb with clay, sand, soil or proprietary absorbent (such as vermiculite). Collect spilled material and waste in sealable open-top type containers for disposal. On-site disposal of concentrate is not acceptable. Dispose of at a landfill in accordance with local regulations.
<b>Personal Protection</b>	For appropriate personal protective equipment (PPE), refer Section 8. If product has dried out and the possibility of dust generation exists, wear a suitable respirator.
<b>Environmental Precautions</b>	Prevent from entering drains, waterways or sewers.

---

## 7. HANDLING AND STORAGE

---

<b>Conditions for Safe Storage</b>	Store in the closed, original container in a dry, well ventilated area, as cool as possible. Do not store for prolonged periods in direct sunlight. Keep container tightly sealed and do not store with seed, fertilisers or foodstuffs.
<b>Other Information</b>	Always read the label and any attached leaflet before use.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

<b>National Exposure Standards</b>	NOHSC has set the following exposure standard for arsenic and soluble compounds (as As) : TLV (TWA) 0.05 mg/m <sup>3</sup> , STEL -.
<b>Engineering Controls</b>	Handle in well ventilated areas, generally natural ventilation is adequate.
<b>Personal Protective Equipment</b>	When opening the container, preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length PVC gloves and goggles.
<b>Hygiene Measures</b>	After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash contaminated clothing and safety equipment.
<b>Requirements Concerning Special Training</b>	Check State or Territory regulations that require people who use pesticides in their job or business to have training in the application of the materials.

---

# Material Safety Data Sheet

CS: 1.4.93

Page: 3 of 5

Infosafe No™ 3NUF6 Issue Date : August 2010 ISSUED by CRPCARE

Product Name **DACONATE Post Emergence Herbicide**

Classified as hazardous

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Form</b>	Liquid
<b>Appearance</b>	Generally a pink liquid.
<b>Odour</b>	Fruity odour.
<b>Solubility in Water</b>	Soluble in water.
<b>Vapour Pressure</b>	0.01 mPa @ 25°C
<b>Octanol/Water Partition Coefficient</b>	Kow Log P is <0
<b>Flammability</b>	Not flammable
<b>Other Information</b>	pKa is 9.02

## 10. STABILITY AND REACTIVITY

**Incompatible Materials** Avoid contact of the concentrate with strong acids and bases.

## 11. TOXICOLOGICAL INFORMATION

<b>Inhalation</b>	Breathing in high concentrations of mists or aerosols of this material may cause nausea and irritation of the nose, throat and respiratory tract.
<b>Ingestion</b>	Ingestion of the concentrate in relatively large amounts may result in nausea, vomiting, abdominal pain, diarrhoea and headache followed by dizziness, stupor, convulsions, paralysis and death.
<b>Skin</b>	Prolonged contact with the concentrate may cause irritation.
<b>Eye</b>	May irritate the eyes.
<b>Chronic Effects</b>	Chronic feeding studies in animals do not indicate any cumulative toxicity and show that the compound is neither a carcinogen nor a teratogen.
<b>Carcinogenicity</b>	Data indicates no carcinogenic effects.
<b>Acute Toxicity - Oral</b>	LD50 (rat) >2000 mg/kg for monosodium methylarsonate (MSMA)
<b>Acute Toxicity - Dermal</b>	LD50 (rabbit) >2000 mg/kg
<b>Acute Toxicity - Inhalation</b>	LC50 (rat) (4hr) 2.2 mg/l
<b>Eye Irritation</b>	Mild eye irritant.
<b>Skin Irritation</b>	Mild skin irritant.
<b>Other Information</b>	The Australian Acceptable Daily Intake (ADI) for MSMA for a human is 0.0005 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 0.5 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Comm. Dept. of Health and Ageing Office of Chemical Safety, 'ADI List', December 2008).

## 12. ECOLOGICAL INFORMATION

<b>Persistence / Degradability</b>	Soil half life for MSMA is 55 days, soil half life for the primary metabolite is 88 days.
<b>Other Precautions</b>	Do not contaminate dams, waterways or sewers with this product or the containers which have held this product.
<b>Environ. Protection</b>	Spray drift should be avoided, read the label for more information.
<b>Acute Toxicity - Fish</b>	The following is data for the active ingredient, MSMA. LC50 (96hr) for rainbow trout is 100 mg/l.
<b>Acute Toxicity - Daphnia</b>	LC50 (48hr) for daphnia is 58 mg/l.
<b>Acute Toxicity - Algae</b>	EC50 (72hr) for Pseudokirchneriella subcapitata 1.8 mg/l.
<b>Acute Toxicity - Other Organisms</b>	Birds: Not toxic to birds. LD50 for 3269 is 425 mg/kg Bees: Not toxic to bees. LD50 24 µg/bee.

# Material Safety Data Sheet

CS: 1.4.93

Page: 4 of 5

Infosafe No™ 3NUF6 Issue Date : August 2010 ISSUED by CRPCARE

Product Name **DACONATE Post Emergence Herbicide**

Classified as hazardous

## 13. DISPOSAL CONSIDERATIONS

**Product Disposal** On site disposal of the concentrated product is not acceptable. Ideally, the product should be used for its intended purpose. If there is a need to dispose of the product, approach local authorities who hold periodic collections of unwanted chemicals (ChemClear®).

**Container Disposal** Do not use this container for any other purpose. Triple rinse containers, add rinsate to the spray tank, then offer the container for recycling/reconditioning, or puncture top, sides and bottom and dispose of in landfill in accordance with local regulations. drumMUSTER is the national program for the collection and recycling of empty, cleaned, non returnable crop production and on-farm animal health chemical containers. If the label on your container carries the drumMUSTER symbol, triple rinse the container, ring your local Council, and offer the container for collection in the program. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, puncture or shred and bury containers in local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

## 14. TRANSPORT INFORMATION

**Storage and Transport** Considered non dangerous for road and rail transport (in packaging, including IBCs not greater than 3000 Lt each) by the Australian Code for the Transport of Dangerous Goods by Road and Rail. Ref: ADG7; SP No. AU01.

For bulk shipments as Class 9, use UN 3082, HazChem code 2Z.

**UN Number (Sea Transport)** 3082

**IMO Class/Packing Group** Class 9

**IMO Marine Pollutant** Marine Pollutant

**IMO Proper Shipping Name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains monosodium methylarsonate (MSMA))

## 15. REGULATORY INFORMATION

**Poisons Schedule** S7

**Packaging & Labelling** DANGEROUS POISON  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**Hazard Category** Toxic

**AICS (Australia)** All of the components in this product are listed on the Australian Inventory of Chemical Substances.

## 16. OTHER INFORMATION

**Date of preparation or last revision of MSDS** Reviewed 24/08/2010

**Contact Person/Point** Normal Hours: Mrs Kathleen Marsh Phone: +61 3 9282 1000  
After Hours: Shift Supervisor Phone: 1800 033 498

**Literature References** Cohen et al, 2006, Methylated arsenicals: the implications of metabolism and carcinogenicity studies in rodents to human risk assessment. Crit. Rev Toxicol. 2006 Feb; 36(2):99-133.

**Revisions Highlighted** The MSDS was reviewed. Various changes were made to the information.  
...End Of MSDS...

© Copyright ACOHS Pty Ltd

# Material Safety Data Sheet

CS: 1.4.93

Page: 5 of 5

Infosafe No™ 3NUF6

Issue Date : August 2010

ISSUED by CRPCARE

Product Name **DACONATE Post Emergence Herbicide**

Classified as hazardous

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.